Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the current application.

Listing of Claims

1. (currently amended) A compound having Formula I:

$$R^1 \xrightarrow{N} \stackrel{Q}{\underset{R^2}{\bigvee}} Q$$

and pharmaceutically acceptable salts thereof, where:

 $\begin{array}{l} X^1 \ \text{and} \ X^2 \ \text{are hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, aryl, heteroaryl, aralkyl, } \\ \text{cycloalkylalkyl, -(CH_2)_m-halogen, -(CH_2)_m-heteroaryl, -(CH_2)_m-SOR^3, -(CH_2)_m-OCOR^3, -(CH_2)_m-OSO_2R^4R^5, -(CH_2)_m-NR^6COR^3, -(CH_2)_m-NR^6SO_2R^3, -(CH_2)_m-NR^3SO_2NR^4R^5, -(CH_2)_mNR^4R^5, -(CH_2)_mOR^3, -CN, -NO_2, -CF_{(3-n)}H_n, -(CH_2)_m-O(CH_2)_mR^3, -(CH_2)_m-O(CH_2)_m-O(CH_2)_m-O(CH_2)_m-NR^4R^5, -(CH_2)_mR^3, -(CH_2)_mCO_2R^3, -(CH_2)_mCOR^3, -(CH_2)_mCONR^4R^5, -(CH_2)_mNR^6COR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mNR^6COR^3, -(CH_2)_mNR^6COR^3, -(CH_2)_mCOR^3, -(CH_2)_mCONR^4R^5, -(CH_2)_mNR^6COR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mNR^6COR^3, -(CH_2)_mNR^6COR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mNR^6COR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mNR^6COR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mNR^6COR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mNR^6COR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mCOR^3, -(CH_2)_mNR^6COR^3, -(CH_2)_mCOR^3, -(CH_2$

$$(CH_2)_mNR^6CONR^4R^5$$
, $-(CH_2)_mSO_2R^3$, $-(CH_2)_mSO_2NR^4R^5$, $(CH_2)_p$, or $(CH_2)_p$, $(CH_2)_p$

; or are joined together to form a substituted or unsubstituted three to eight member ring wherein 0 to 3 atoms of the ring are heteroatoms;

A is aryl, arylcycloalkyl, heteroaryl, heteroarylcycloalkyl, cycloalkyl, or cycloalkenyl;

M is arylene, heteroarylene, or cycloalkylene, heterocycloalkylene, cycloalkenylene er heterocycloalkonylene;

Q is -CONR⁴R⁵, aryl, heteroaryl, cycloalkyl, or cycloalkenyl, heterocycloalkyl, or heterocycloalkenyl;

R1 is hydrogen, alkyl, aryl, hoteroaryl or alkenyl;

 R^2 is hydrogen, alkyl, aryl, heteroaryl, alkenyl, cycloalkyl, cycloalkylalkyl, aralkyl, heteroaralkyl, heteroavoloalkylalkyl, carboxy, -(CH₂)_mNR⁴R⁵, -(CH₂)_mOR³, -(CH₂)_mSR³, -(CH₂)_mCONR⁴R⁵, or -(CH₂)_mNR⁶COR³;

R³ is hydrogen, alkyl, aryl, heteroaryl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, or aralkyl, or heteroarylalkyl;

R⁶ is hydrogen, alkyl, aryl, heteroaryl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, <u>or</u> aralkyl, or heteroarylalkyl;

R⁴ and R⁵ are each independently hydrogen, alkyl, aryl, heteroaryl, alkenyl, alkynyl,

cycloalkyl, cycloalkylalkyl, aralkyl, heteroarylalkyl, $-C-C_1-C_6$ alkyl,

joined together to form a 3 to 8 member ring;

m is 0 to 8;

n is 0 to 2; and

p is 1 to 3;


with the proviso that when R^1 and R^2 are H, neither X^1 nor X^2 is H.

- 2. (currently amended) The compound of claim 1, wherein A is aryl or heteroaryl.
- 3. (currently amended) The compound of claim 2, wherein A is

From-

wherein Y is CH or N; and R⁸ is hydrogen, halo, or C₁-C₆ alkyl.

4. (currently amended) The compound of claim 3, wherein A is




- (currently amended) The compound of claim 4, wherein A is 4-chlorophenyl er 5. 5-chloro 2 pyridyl.
- (currently amended) The compound of claim 1, wherein M is arylene or 6. hotoroarylene.
- (currently amended) The compound of claim 6, wherein M is 7.

7346222928

wherein R9 is hydrogen, trifluoromethyl, halo, or C1-C6 alkyl.

8. (currently amended) The compound of claim 7, wherein M is




wherein R⁹ is hydrogen, methyl, trifluoromethyl, Cl, Br, or F.

- (currently amended) The compound of claim 8, wherein M is phenylene-1,4-9. diyl, 2-fluoro-phenylene-1,4-diyl, 2-methyl-phenylene-1,4-diyl, or 2-trifluoromethylphenylene-1,4-diyl, or pyridine-2,5-diyl.
- 10. (currently amended) The compound of claim 1, wherein Q is aryl, heteroaryl or heterocycloalkyl.
- 11. (currently amended) The compound of claim 10, wherein Q is

form-a saturated or unsaturated 3 to 8 membered ring; and R¹⁰ is hydrogen, halo, C₁-C₆ alkyl, $-SO_2NR^{12}R^{13}$, or $-SO_2$ alkyl, C_1 - C_6 alkyl, wherein R^{12} and R^{13} are independently hydrogen, or C1-C6 alkyl, or are joined together to-form a saturated 5 to 7 membered ring.

(currently amended) The compound of claim 11, wherein Q is 12.



7346222928


NH, N (C₁-C₆alkyl) or N-C-C₁-C₆alkyl; R¹⁴ is hydrogen, SO₂NR¹²R¹³, SO₂alkyl or exe; and R¹⁰ is hydrogen, Cl, Br, F, -SO₂NR¹²R¹³, or -SO₂alkyl, wherein R¹² and R¹³ are independently hydrogen, or C₁-C₆ alkyl.

; wherein G is

- 13. (currently amended) The compound of claim 11, wherein Q is 2-methanesulfonylphenyl, or 2-sulfamoylphenyl, 2-oxo-2H-pyridin-1-yl, or 2-oxo-piperidin 1-yl.
- 14. (original) The compound of claim 1, wherein X^1 and X^2 are hydrogen, alkyl, $-(CH_2)_mOR^3$, or alkenyl.
- 15. (original) The compound of claim 1, wherein X^1 and X^2 are alkyl, $(CH_2)_mOR^3$, alkenyl or $-CH_2-NR^7R^7$ where R^7 and R^7 are independently hydrogen, $-C_1$ -

$$\begin{array}{c} O & O & O \\ \parallel & \parallel & \parallel \\ C_6 \text{ alkyl} & -C-C_1-C_6 \text{alkyl}, & -C-O-C_1-C_6 \text{alkyl}, & -C-O-\text{aralkyl}, & -C-S-C_1-C_6 \text{alkyl}, \\ O & \parallel & -C-N-C_1-C_6 \text{alkyl} \\ & -C-N-C_1-C_6 \text{alkyl} \end{array}$$

- 16. (original) The compound of claim 1, wherein X¹ and X² are hydrogen, methyl, -CH₂-OH, -CH₂-NH₂, -CH₂-N(CH₃)₂, or -CH₂-N(CH₂CH₃)₂.
- 17. (original) The compound of claim 1, wherein X¹ and X² together form a cyclopropyl, cyclobutyl, cyclopentyl, cyclopexyl, or cyclopentenyl ring.
- 18. (currently amended) The compound of claim 1, wherein X¹ and X² together are



wherein R¹⁵ and R¹⁵ are independently hydrogen, -(CH₂)₁₋₆-OH, -(CH₂)₁₋₆-O-C₁-C₆ alkyl, -(CH₂)₁₋₆-NH₂, -COOH, or -OH; and E is O, S, or NR¹⁶ wherein R¹⁶ is hydrogen,

$$\begin{array}{c|c} O & O \\ \hline -C_1-C_6\text{ alkyl}, & -C-C_1-C_6\text{alkyl}, & -C-O-C_1-C_6\text{alkyl}, \\ \hline O & O & \parallel \\ \hline -C-O-\text{aralkyl}, & -C-S-C_1-C_6\text{alkyl}, & H \end{array}$$

19. (currently amended) The compound of claim 1, wherein R² is alkyl, aryl, heteroaryl, cycloalkyl, cycloalkylalkyl, aralkyl, heteroaralkyl, heterocycloalkylalkyl, carboxy, -(CH₂)_mNR⁴R⁵, -(CH₂)_mOR³, -(CH₂)_mSR³, -(CH₂)_mCONR⁴R⁵, or - (CH₂)_mNR⁶COR³; wherein R³, R⁴, R⁵ and R⁶ as as described in claim 1.

(currently amended) The compound of claim 19, wherein R² is C₁-C₆ alkyl, 20. phenyl, pyridyl, cyclopropyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl, cyclohexylmethyl, 2-cyclopropylethyl, 2-cyclopentylethyl, benzyl, 2-pyridinylmethyl, 3pyridinylmethyl, 4 pyridinylmethyl, 3 (2 pyridinyl) propyl, thionylmethyl, 2 morpholin-4-yl-ethyl, 2-thiomorphelin 4-yl-ethyl, -(CH₂)₁₋₃NH₂, -(CH₂)₁₋₃N(C₁-C₆alkyl)₂, -(CH₂-C₆alkyl)₂, -(CH₂-C₆alkyl) 3NHC1-C6alkyl, -(CH2)1-3OC1-C6alkyl, -(CH2)1-3SC1-C6alkyl, -(CH2)1-3 CONH2, -(CH2)1-3 $CON(C_1-C_6alkyl)_2$, $-(CH_2)_{1-3}CONHC_1-C_6alkyl$, or $-(CH_2)_{1-3}NHCOC_1-C_6alkyl$.

7346222928

(currently amended) The compound of claim 1, wherein where A is 21.

wherein Y is CH or N; and R⁸ is hydrogen, Cl, Br, or F;

M is

Q is


R9

; wherein R⁹ is hydrogen, Cl, Br, or F;

$$R^{10}$$
 R^{14}
 R

NH, N (C₁-C₆alkyl) or N- $\overset{\circ}{C}$ -C₁-C₆alkyl; R^{14} is hydrogen, SO₂NR 12 R 13 , SO₂alkyl or exe; and R^{10} is hydrogen, Cl, Br, F, -SO₂NR 12 R 13 , or -SO₂alkyl, where R^{12} and R^{13} are independently hydrogen, or C₁-C₆ alkyl;

 X_1 and X_2 are hydrogen, methyl, -CH₂-OH, -CH₂-NR⁷R^{7'} where R⁷ and R^{7'} are independently hydrogen or C₁-C₆ alkyl, or X_1 and X_2 together form a cyclopropyl, cyclobutyl, cyclopentyl, or cyclopentenyl ring or together are



wherein R¹⁵ and R¹⁵ are independently hydrogen, -(CH₂)₁₋₆-OH, -(CH₂)₁₋₆-O-C₁-C₆ alkyl, -(CH2)1-6-NH2, -COOH, or -OH; and E-is O, S, or NR46-where R46-is R46-is

7346222928

$$\begin{array}{c|c} O & O & O \\ \hline \parallel & \parallel & \parallel \\ -C-C_1-C_6 \text{alkyl}, & -C-O-C_1-C_6 \text{alkyl}, \\ \hline \end{array}, \begin{array}{c} O & O \\ \hline \parallel & -C-S-C_1-C_6 \text{alkyl}, \\ \hline \end{array}$$

R¹ and R³ are each independently hydrogen, or C₁-C₆alkyl; and R² is hydrogen, C₁-C₆ alkyl, phenyl, pyridyl, cyclopropyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl, cyclohexylmethyl, 2-cyclopropylethyl, 2cyclopentylethyl, benzyl, 2-pyridinylmethyl, 3-pyridinylmethyl, 4-pyridinylmethyl, 3 (2pyridinyl) propyl, thienylmethyl, 2-morpholin 4-yl ethyl, 2-thiomorpholin-4-yl ethyl, - $(CH_2)_{1-3}NH_2$, $-(CH_2)_{1-3}N(C_1-C_6alkyl)_2$, $-(CH_2)_{1-3}NHC_1-C_6alkyl$, $-(CH_2)_{1-3}OC_1-C_6alkyl$, $-(CH_2)_1$ $(CH_2)_{1-3}SC1-C_6alkyl, -(CH_2)_{1-3}CONH_2, -(CH_2)_{1-3}CON(C_1-C_6alkyl)_2, -(CH_2)_{1-3}CONHC_1 C_6$ alkyl, or $-(CH_2)_{1-3}NHCOC_1-C_6$ alkyl.

- (currently amended) The compound of claim 1, wherein the compounds is 22. 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(5-Chloro pyridin 2-yl)-ureido] cyclopropanecarboxylic acid (3-fluoro 2' sulfamovi biphenyl 4 yl) amide;
- 2 [3-(5-Chloro-pyridin 2 yl) uroido]-N-(3-fluoro-2' methanesulfonyl biphenyl 4-yl)-2methyl-propionamido;
- 2-[3-(4-Chloro-phenyl)-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-2-methylpropionamide;
- 4 [3 (4-Chloro-phonyl) ureido] tetrahydro-thiopyran 4 carboxylie acid (3 fluoro-2'sulfamoyl-biphenyl-4-yl) amido;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoylbiphenyl-4-yl)-amide;
- 1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-amide;
- 4-[3-(4-Chloro-phenyl)-uroido] tetrahydro-pyran 4-carboxylic acid (3-fluoro-2'sulfamoyl biphonyl 4 yl) amide;

- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopentanecarboxylic acid (2'-methanesulfonylbiphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclohexanecarboxylic acid (2'-methanesulfonylbiphenyl-4-yl)-amide;
- 2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)acetamide;

- 2-[3-(4-Chloro-phenyl)-1,3-dimethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-ureido]-3-hydroxy-2-hydroxymethyl-N-(2'-sulfamoyl-biphenyl-4-yl)-propionamide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonylbiphenyl-4-yl)-amide;
- 2-[3-(4-Chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-2-methylpropionamide;
- 2-[3-(4-Chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)acetamide:
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopent-3-enecarboxylic acid (3-fluoro-2'-sulfamoylbiphenyl-4-yl)-amide; and
- 2-[3-(4-Chloro-phenyl)-3-methyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)acetamide;
- (1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- (1R,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- (1R, 28) 1-[3 (4 Chloro-phonyl)-uroido] 2 hydroxymethyl cyclopropanocarboxylic acid [2 fluore 4-(2-exo-piperidin 1 yl)-phenyl] amide;
- (1S, 2S)-1-[3-(4-Chloro-phenyl) ureide] 2 hydroxymethyl cyclopropanecarboxylic acid [2 fluoro 4-(2-oxo piperidin 1 yl) phenyl]-amide;
- 2-[3 (4-Chloro-phenyl) ureido] N [2-fluoro-4-(2 oxo piperidin 1 yl) phenyl] 2-methylpropionamide;

- 2-[3-(5-Chloro-pyridin-2-yl) ureide] 2-methyl-N [4 (2-oxo-piperidin-1-yl) phenyl]propionamide;
- 2-[3-(4-Chloro-phenyl) ureido]-2-mothyl N [4-(2-oxo-piperidin 1-yl) phenyl]propionamido;
- 2-[3 (5-Chloro pyridin 2-yl) ureido] N-[2 fluoro-4-(2 oxo piperidin 1-yl) phenyl] 2-methyl-propion amide;
- N [2 Fluoro 4 (2 exe-piperidin-1-yl) phenyl] 2-[3-(4 fluoro phenyl) uroido] 2-methyl-propionamide;
- 1 [3 (4 Chloro phenyl) ureido] cyclopropancearboxylic acid [2 fluoro 4 (2-oxopiperidin 1-yl) phenyl] amide;
- 1-[3 (5 Chloro-pyridin 2 yl) uroido]-cyclopropaneearboxylic acid [4 (2 oxo-piperidin 1-yl) phonyl]-amide;
- 1-[3-(4-Chloro-phenyl) ureido] eyelopropanecarboxylio acid [4-(2-oxo-piperidin 1-yl) phonyl] amido;
- 1-[3-(5-Chloro-pyridin-2-yl) ureide]-eyelopropanecarboxylie acid-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl] amide;
- 1-[3 (4 Fluoro phenyl) ureido] eyelopropanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1 yl) phonyl]-amide;
- 1 [3 (4 Chloro phonyl) uroido] cyclohoxanocarboxylic acid [2 fluoro 4 (2 oxo piperidin-1 yl)-phonyl] amide;
- 1 [3 (5-Chloro-pyridin 2-yl) ureido]-cyclohexanecarboxylic acid [4-(2-exe piperidin-1-yl) phenyl]-amide;
- 1-[3 (4-Chloro-phenyl)-ureido]-cyclohexaneoarbexylio-acid [4-(2-oxo-piperidin-1-yl)-phenyl]-amide;
- 1-[3-(5-Chloro-pyridin-2-yl) ureido] eyelohexanecarboxylic acid [2 fluoro 4 (2-oxo-piperidin 1 yl) phenyl]-amide;
- 1-[3-(4-Fluoro phenyl)-uroido] cyclohexanecarboxylic acid [2-fluoro 4 (2-exo-piperidin-1-yl) phenyl]-amide;
- 2-[3 (4-Chloro-phenyl) ureido]-N-[2-fluoro 4-(2-око piperidin-1-yl)-phenyl] 3-hydrоху-2-hydroxymethyl-propionamide;

- 2-[3-(5-Chloro pyridin 2-yl)-ureido] 3-hydroxy-2-hydroxymethyl N-[4-(2-oxo-piperidin-1-yl)-phenyl] propionamide;
- 2-[3 (4-Chloro phenyl)-ureido] 3 hydroxy 2-hydroxymethyl N [4 (2-oxo-piperidin 1-yl)-phenyl] propionamide;
- 2-[3-(5-Chloro pyridin-2-yl) ureido] N [2-fluoro-4 (2-oxo piperidin-1-yl) phenyl] 3-hydroxy 2 hydroxymethyl propionamide;
- N [2-Fluoro-4-(2-oxo-piperidin-1-yl) phenyl] 2-[3-(4-fluoro-phenyl) uroido]-3-hydroxy-2-hydroxymethyl-propionamide;
- 2-[3-(4-Chloro phenyl) ureido] N-[2-fluoro-4-(2-oxo piperidin-1-yl) phenyl] acetamide;
- 2 [3 (5 Chloro-pyridin 2-yl) urcido]-N [2 fluoro 4 (2-oxo-piperidin 1 yl) phenyl]-
- 2 [3 (5 Chloro-pyridin 2 yl) ureido] N [4 (2 exe-piperidin 1 yl) phenyl] acetamide;
- 2-[3-(4-Chloro-phenyl)-uroido] N [4-(2-oxo-piperidin 1-yl)-phonyl]-acetamido;
- 1-[3-(4-Chloro-phenyl)-ureido] eyelopropanecarboxylie acid-[5-(2-methanesulfonyl-phenyl)-pyridin-2-yl] amido;
- 1-[3 (4 Chloro-phonyl) ureide] cyclopropanecarboxylic acid [5-(2-sulfamoyl-phonyl) pyridin-2-yl] amide;
- 1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid [5-(2-methanesulfonyl-phenyl)-pyridin-2-yl]-amide;
- 1 [3-(5-Chloro-pyridin-2 yl) ureido]-cyclopropanocarboxylic acid [5 (2-sulfamoyl-phenyl)-pyridin 2 yl] amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-trifluoromethyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-sulfamoyl-3-trifluoromethyl-biphenyl-4-yl)-amide;
- 1-[3-(5 Chloro-pyridin-2 yl) uroido]-cyclopropanecarboxylic acid-(2'-methanesulfonyl 3-trifluoromethyl-biphenyl 4-yl) amido;
- 1 [3 (5 Chloro-pyridin 2 yl) urcido] cyclopropaneearboxylic acid (2'-sulfamoyl 3-trifluoromethyl biphenyl 4-yl) amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-methyl-biphenyl-4-yl)-amide;

- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-methyl-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-methyl-biphenyl-4-yl)-amide;

- 1-[3 (5 Chloro-pyridin-2-yl) ureido] eyelopropanecarboxylic acid (3 methyl 2' sulfameyl-biphonyl-4-yl) amide;
- 2-[3 (5 Chloro-pyridin-2 yl) 1 methyl urcido]-N-(2' methanesulfonyl biphenyl 4 yl)-acetamido:
- 2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(2'-sulfamoyl-biphenyl-4-yl)-acetamide;
- 2-[3 (5-Chloro-pyridin 2 yl) 1-methyl-ureido] N-(3 fluoro 2' sulfamoyl-biphenyl 4 yl) acetamide:
- 2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-acetamide:
- 2-[3-(5-Chloro-pyridin-2-yl)-1-methyl-wreide] N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(2'-methanesulfonyl-biphenyl-4-yl)acetamide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 3-[3-(4-Chloro-phenyl)-urcido]-pyrrolidine 3-earboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl 4-yl) amide;
- 3-[3 (4 Chloro-phenyl)-uroido] pyrrolidino 3-carboxylic acid (3 fluoro 2' sulfamoyl-biphonyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3-hydroxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

- 1-[3-(4-Chloro-phenyl)-ureido]-3-hydroxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-methoxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-methoxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 2-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 2-Aminomethyl-1-[3-(4-chloro-phenyl)-urcido]-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 2-[3-(4-Chloro-phenyl)-ureido]-2-(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-cyclopropanecarboxylic acid;
- 2-[3-(4-Chloro-phenyl)-ureido]-2-(3-fluoro-2'-sulfamoyl-biphenyl-4-ylcarbamoyl)-cyclopropanecarboxylic acid;
- 3 [3 (4 Chloro-phenyl) uroido] 1 methyl-pyrrolidine 3 carboxylic acid (3-fluoro-2'-methanesulfonyl biphenyl 4-yl)-amide;
- 3 [3 (4 Chloro-phenyl) ureido] 1 methyl-pyrrolidine 3 carboxylio acid (3 fluoro-2'-sulfamoyl-biphenyl 4-yl) amide;
- 1-Acetyl-3-[3-(4-chloro-phenyl)-ureido]-pyrrolidine-3-earboxylic-acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl) amide;
- 1-Acetyl 3-[3-(4-chloro-phenyl) uroido] pyrrolidine-3-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl) amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3-methoxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3-methoxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 3-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclobutanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 3-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclobutanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

- 3-[3-(4-Chloro-phenyl)-ureido]-3-(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-cyclobutanecarboxylic acid;
- 3-[3-(4-Chloro-phenyl)-ureido]-3-(3-fluoro-2'-sulfamoyl-biphenyl-4-ylcarbamoyl)cyclobutanecarboxylic acid;

- 4 [3-(4-Chloro-phonyl) ureido] piperidine 4-carboxylic acid (3-fluoro 2'-methanesulfonyl-biphenyl-4-yl) amido;
- 4-[3 (4-Chloro-phenyl) uroido] piporidine-4 carboxylic acid (3 fluoro 2' sulfamoyl-biphonyl 4 yl) amide;
- 4-[3 (4 Chloro-phenyl)-ureido] 1 methyl-piperidine 4-carboxylic acid (3-fluoro 2'-methanesulfonyl-biphenyl 4-yl)-amido;
- 4-[3 (4 Chloro-phenyl) ureido] 1-methyl-piperidine-4 carboxylic acid (3 fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1 Acetyl 4 [3 (4-ehloro-phonyl) ureido] piperidine 4 carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl 4 yl) amide;
- 1-Acetyl-4-[3 (4 chloro-phenyl) ureido] piperidine 4 carboxylie acid (3 fluoro 2' sulfamoyl-biphenyl-1-yl) amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3,4-dihydroxy-cyclopentanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3,4-dihydroxy-cyclopentanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 3-[3-(4-Chloro phonyl) ureido]-tetrahydro-furan 3 carboxylic acid (3 fluoro 2' methanesulfonyl-biphonyl-4-yl)-amide;
- 3 [3 (4 Chloro-phenyl) ureido] tetrahydro-furan-3 carboxylic acid (3-fluoro 2' sulfamoyl-biphenyl-4-yl) amide;
- 3-[3-(4-Chloro-phenyl) uroido]-totrahydro-thiophene-3-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 3 [3 (4 Chlore phenyl) ureido] 1 methyl pyrrolidino 3 carboxylic acid [2 fluoro 4 (2 oxo-piperidin 1 yl) phenyl] amide;
- 1-Acetyl-3 [3 (4 chloro-phenyl) ureido]-pyrrolidine-3-carboxylic acid [2 fluoro 4 (2 oxo-piperidin 1 yl) phenyl] amide;

- 1-Acetyl-3 [3-(4-chloro phonyl)-uroido] azetidine-3-carboxylic acid (3-fluoro-2'methanesulfonyl-biphenyl 4 yl)-amide;
- 1-Acetyl 3 [3 (4-chloro-phenyl)-ureido] azetidine 3-carboxylic acid (3 fluoro-2'sulfamoyl biphenyl 4-yl) amide;
- 1-[3 (4-Chloro-phonyl)-1-methyl-ureide] 2 hydroxymethyl cyclopropanecarboxylic acid [2-fluoro 4 (2 oxo piperidin 1 yl) phenyl]-amide;

- 1-[3-(4-Chloro-phenyl)-1-methyl-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-1-methyl-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 3-[3-(4-Chloro-phenyl) ureide] tetrahydro-thiophene-3-carboxylic acid (3-fluoro-2'sulfamoyl-biphenyl 4-yl)-amide;
- 3-[3 (4 Chloro-phonyl) ureido]-1-methyl azetidino-3-carboxylio acid (3 fluoro-2'methanesulfenyl-biphenyl-4-yl) amide;
- 3-[3-(4-Chloro phonyl)-ureido] 1 mothyl-azetidino 3-carboxylic acid (3 fluoro-2'sulfamoyl-biphenyl-4 yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido] 2 hydroxymethyl eyelopropanecarboxylie-acid-[2-fluoro-4 (2 oxo piperidin 1 yl) phenyl] amide;
- 1 [3 (4-Chloro-phenyl) uroido]-2-methoxymethyl-cyclopropanecarboxylic acid [2fluoro-4 (2 oxo-piperidin 1 yl) phenyl] amide;
- 3-Amino-2-aminomethyl-2-[3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2'-sulfamoylbiphenyl-4-yl)-propionamide;
- 3-Amino-2-aminomethyl-2-[3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-propionamide;
- 2-[3-(4-Chloro-phenyl)-ureido]-3-ethylamino-2-ethylaminomethyl-N-(3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-propionamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1yl)-phenyl]-acetaminde;

- 2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-[2-fluoro-4-(2-oxo-2H-pyridin-1-yl)-phenyl]-acetamide;
- 2-[3-(5-Chloro-pyridin-2-yl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopropyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3 (5 Chloro-pyridin-2-yl)-1-cyclopropylmethyl uroido] N (3-fluoro-2'-sulfamoylbiphenyl 4-yl) acetamide;
- 2-[3 (5-Chloro-pyridin-2-yl)-1-cyclopropylmethyl-ureide] N [2-fluoro-4-(2-oxopiperidin-l-yl)-phenyl] acetamido;
- 2-[3-(5-Chloro pyridin 2-yl) 1-cyclopropylmethyl-urcido] N [2 fluoro 4 (2 oxo-2Hpyridin-1-yl) phonyl] acetamide;
- 2-[3-(4-Chloro-phenyl)-1-isopropyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopentyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopentylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-cyclopropyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-phenyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)acetamide:
- 2 [3 (4 Chloro-phenyl) 1 thiophen 3 ylmethyl ureido] N (3-fluoro-2'-methanesulfonylbiphenyl-4-yl) acetamido;
- 2-[3-(4-Chloro-phonyl) 1-pyridin 3-ylmothyl-urcido] N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclohexylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-cyclopentyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;

- 2-[3 (4-Chioro-phenyl) 1-thiophen-2-ylmethyl-uroido] N-(3-fluoro 2' methanesulfonyl-biphenyl-4-yl) acetamide;
- 2-[3 (4-Chloro-phenyl) 1-pyridin-2-ylmethyl-urcide] N-(3-fluoro 2' methanesulfonyl-biphenyl-4-yl) acetamide;
- 2-{3-(4-Chloro phenyl) 1-pyridin 4 ylmothyl ureido}-N (3 fluoro 2' methanesulfonyl-biphenyl 4-yl) acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-ethoxy-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-methylsulfanyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- {3-(4-Chloro-phenyl)-1-[(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-methyl]-ureido}-acetic acid;
- 2 [3 (4 Chloro-phenyl)-1-(2-morpholin 4 yl ethyl) ureido] N (3 fluoro 2'-mothanesulfonyl biphenyl 4 yl) acetamide;
- 2-[3-(4-Chloro-phenyl) 1-(2-thiomorpholin 4-yl-ethyl)-ureido] N (3-fluoro-2'-methanesulfonyl-biphenyl 4-yl) acetamido;
- 2-[3-(4-Chloro-phenyl)-1-phenethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-methylsulfanyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-methylcarbamoylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-{3-(4-Chloro-phenyl)-1-[2-(4-methyl-piperazin-1-yl)-othyl]-ureido}-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[1-(2-Acetylamino-ethyl)-3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-{3-(4-Chloro-phenyl)-1-(2,2-dimethyl-propyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 3-[3 (4-Chloro-phenyl) ureide] 3 (3 fluoro-2'-methanesulfonyl biphonyl 4-ylcarbamoyl) pyrrolidine-1-carboxylic acid-benzyl oster;

2 [3 (4 Chloro-phenyl) 1-(2,2-dimethyl-propyl)-ureido] N [2 fluoro-4-(2 oxo-piperidin-1-yl)-phenyl]-acetamide;

- $\hbox{$2-[3-(4-Chloro-phenyl)-l-cyclobutyl}$ methyl-ure ido]-N-(3-fluoro-2'-methane sulfonyl-newledge). The substitution of the$ biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-methoxy-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-isobutyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-dimethylamino-ethyl)-ureido]-N-(3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[1-Benzyl-3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2' methanesulfonyl-biphenyl-4-yl)acetamide:
- 2-[3-(4-Chloro-phenyl)-1-(4-methoxy-benzyl) ureido]- N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- (1R,2S) (1-[3-(4-Chlore-phenyl)-ureide] 2-hydroxymethyl cyclopropanecarboxylic acid [2 fluoro 4 (2 oxo 2H-pyridin 1 yl) phenyl]-amide;
- (18,28)-1-[3-(4-Chlore-phenyl)-ureide]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro 4 (2-exo-2H-pyridin 1-yl)-phonyl]-amide;
- 1-[3 (4 Chloro-phenyl) uroido] eyclopropanecarboxylio acid [2 fluoro 4 (2 exe 2Hpyridin-1-yl)-phenyl]-amide;
- 1-[3 (4-Chloro-phonyl) ureide] cyclopropanecarboxylic acid [2-fluoro 4 (5-methylpyrazol 1 vl)-phonyl]-amido;
- (1R.2S)-1-[3-(4-Chloro-phenyl) urcido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2 fluoro 4 (5-methyl-pyrazel-1-yl)-phenyl] amide;
- (1S,2S) 1 [3 (4-Chloro phenyl)-urcido] 2 hydroxymethyl cyclopropanecarboxylic acid [2-fluoro-4-(5-methyl-pyrazol-1-yl) phonyl]-amide;
- 2-[3 (4 Chloro-phenyl) 1 cyclopropylmethyl-ureide] N [2 fluoro-4-(5-methyl pyrazol-1yl) phonyl] acetamido;

1-[3-(4-Chloro-phonyl) ureido]-cyclopropanocarboxylic acid [4-(3,5-dimethyl-pyrazol-1-yl)-2-fluoro-phonyl] amide;

- 2-[3 (4 Chlore-phenyl)-1 cyclopropylmethyl-uroide] N [4 (3,5 dimethyl-pyrazel-l-yl) 2 fluore-phenyl] acetamide;
- (1R,2S) 1 [3-(4-Chloro-phonyl) ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (2-fluoro-4 pyrazol-1-yl-phonyl) amide;
 - (1S,2S) 1-[3-(4-Chloro-phenyl) ureido] 2-hydroxymethyl cyclopropancearboxylic acid (2-fluoro-4-pyrazol 1-yl phenyl) amide;
- (1R,2S)·1 [3 (4 Chloro phonyl) uroido] 2-hydroxymethyl oyolopropancearboxylic acid
 [2 fluoro 4 (3-methyl pyrazol 1 yl)-phonyl]-amide;
- (1S,2S) 1 [3-(4-Chloro-phenyl) ureido] 2-hydroxymethyl cyclopropanecarboxylic acid [2-fluoro-4-(3-methyl-pyrazol-1-yl)-phenyl] amide;
- (1R,2S)-1-[3 (4 Chloro-phenyl)-uroido] 2 hydroxymethyl-cyclopropanecarboxylio-acid [2 fluoro-4-(2 methyl-imidazol-1 yl) phenyl] amide;
 - (1S,2S) 1 [3 (4 Chloro phonyl) ureido]-2-hydroxymethyl eyelopropanecarboxylic acid [2 fluoro 4 (2 methyl imidazol-1-yl) phonyl]-amide;
 - (1R,2S)-1-[3-(4-Chlore-phonyl)-urcido]-2 hydroxymethyl eyelopropancearboxylic acid [4-(2,5-dihydro-pyrrole-1-carbonyl)-2 fluoro-phonyl]-amide;
 - (1S,2S) 1-[3-(4-Chloro-phenyl) ureido] 2-hydroxymethyl cyclopropancearboxylic acid [4-(2,5-dihydro-pyrrole-1-carbonyl) 2 fluoro-phenyl] amide;
- (1R,2S) 1-[3-(4-Chloro-phenyl)-ureido] 2 hydroxymethyl cyclopropanecarboxylic acid [2-fluoro 4 (pyrrolidine-1-carbonyl)-phenyl] amido;
 - (1S,2S)-1-[3-(4-Chloro phonyl) ureido]-2-hydroxymethyl-eyelopropaneearboxylic neid [2-fluoro 4-(pyrrolidine-1-carbonyl) phonyl] amide;
- (1R,2S)-2-(Acetylamino-methyl)-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
 - (1S,2S)-2-(Acetylamino-methyl)-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide; or a pharmaceutically acceptable salt thereof.
- 23. (currently amended) A process for the preparation of compounds of Formula I, wherein P^1 is a protecting group, Y^1 is a halogen and X^1 , X^2 , A, M, and Q are as defined in Claim 1 above, comprising

(a) contacting an amino acid having Formula III with a reagent capable of forming a protecting group on the amino group of the amino acid to form a compound with Formula IV

7346222928

(b) activating of the carboxylic acid of Formula IV and contacting it with an amino compound of the formula H_2N-M-Y^1 to form a compound of Formula

(c) coupling the compound of Formula V with a compound having Q to form a compound of Formula VI

(d) removing the amino protecting group of the compound of Formula VI and contacting the resulting free amine with an isocyanate having A to form a compound of Formula I

- 24. (currently amended) A process for the preparation of compounds of Formula I, wherein P^1 is a protecting group, and X^1 , X^2 , A, M, and Q are as defined in Claim 1 above, comprising
 - (a) contacting an amino acid having Formula X with a reagent capable of forming a protecting group on the amino group of the amino acid to form a compound with Formula XI

(b) activating of the carboxylic acid of Formula XI and contacting it with an amino compound of the formula H₂N-M-Q to form a compound of Formula XII

$$X^1$$
 X^2 OH 1) Activation X^1 X^2 X^2

(c) removing the amino protecting group of the compound of Formula XII and contacting the resulting free amine with an isocyanate having A to form a compound of Formula I

- 25. (currently amended) A process for the preparation of compounds of Formula I, wherein A, M, Q and R² are as defined in Claim 1 above, comprising
 - (a) contacting a compound of Formula XVII with a bromoacetyl chloride of the Formula XX to form a compound of Formula XXI

(b) contacting a compound of Formula XXI with an amine of Formula XXII to form a compound of Formula XXIII

Br
$$R^2$$
— NH_2 NH X_1 X_2 $XXII$ NH X_1 X_2 $XXII$ X_2 $XXII$ X_3 X_4 X_4 X_5 X_7 X_8 X_8

(c) contacting a compound of Formula XXIII with an isocyanate having A to form a compound of Formula I

- (currently amended) A process for the preparation of compounds of Formula I, 26. wherein P1 and P2 are independent protecting groups and A, M, and Q are as defined in Claim 1 above, comprising
 - (a) base catalyzed ring opening of a compound of Formula XXVIII to form a compound of Formula XXIX

(b) contacting a compound of Formula XXIX with a reagent capable of forming a protecting group on the hydroxyl groups followed by contacting the resulting intermediate with a reagent capable of selective deprotection of the carboxylic acid hydroxyl group to form a compound with Formula XXX

(c) activating the carboxylic acid of Formula XXX and contacting it with an amino compound of the formula XXXI to form a compound of Formula XXXII

(d) removing the amino protecting group of the compound of Formula XXXII and contacting the resulting free amine with an isocyanate having A to from a compound of Formula I

- (currently amended) A process for the preparation of compounds of Formula I, 27. wherein Pland P2 are independent protecting groups and A, M, and Q are as defined in Claim 1 above, comprising
 - (a) contacting a compound of Formula XXXIII with a reagent capable of selectively forming a protecting group on the alcohol hydroxyl group to form a compound with Formula XXXIV

(b) activating the carboxylic acid of Formula XXXIV and contacting it with an amino compound of the formula XXXV to form a compound of Formula XXXVI

(c) removing the amino protecting group of the compound of Formula XXXVI and contacting the resulting free amine with an isocyanate having A to from a compound of Formula XXXVII

(d) removing the alcohol hydroxy protecting group of the compound of Formula XXXVII to from a compound of Formula I

28. (currently amended) A process for the preparation of compounds of Formula I, wherein P^1 and P^2 are independently protecting groups and A, M, and Q are as defined in Claim 1 above, comprising

(a) contacting a compound of Formula XXXVIII with acid to form a compound of Formula XXXIX

7346222928

(b) contacting a compound of Formula XXXIX with a reagent capable of forming a protecting group on the amino moiety to form a compound of Formula XL

(c) contacting a compound of Formula XL with a reagent capable of forming a protecting group on the heterocycle nitrogen to form a compound of Formula XLI

(d) contacting a compound of Formula XLI with a reagent capable of removing the protecting group of the carboxylic acid to form a compound of Formula XLII

7346222928

(e) activating the carboxylic acid of Formula XLII and contacting it with an amino compound of the formula XLIII to form a compound of Formula XLIV

(f) removing the amino protecting group of the compound of Formula XLIV and contacting the resulting free amine with an isocyanate having A to from a compound of Formula I

Claims 29 through 41 (cancelled)

- 42. (currently amended) A pharmaceutical formulation comprising a compound of claim 1 or 22 admixed with a carrier, diluent, or excipient.
- 43. (new) A pharmaceutical formulation comprising a compound of claim 22 admixed with a carrier, diluent, or excipient.